



Braille XC12.5-625-1 Motorsport Lithium Battery

At only 2.1 KG, the XC12.5-625-1 Motorsport Lithium Battery is a high-performance upgrade from a traditional lead acid battery. Offering significant weight reduction, more power output and lasting up to 5 times longer than lead acid batteries!

BENEFITS:

- Superior starting capabilities with high cranking amp output per kg
- Fast and efficient recharge, up to 5 times faster than lead acid batteries
- Can be used in "Total Loss" (no alternator) applications
- 3-5 times longer service life vs lead-acid batteries
- Engineered for high shock and vibration applications
- Up to 2/3 weight reduction for equivalent cranking performance



PRODUCT INFORMATION

+ Physical Specs

| | |
|-------------------|-----------------------------------|
| Battery Chemistry | LFP |
| Length (mm) | 178 |
| Width (mm) | 76 |
| Height (mm) | 159 |
| Weight (kg) | 2.1 |
| Terminal Type | Brass terminal block with M6 bolt |
| Polarity | Right + |

+ Technical Specs

| | | | |
|---------------------------------------|------|-----------------------------|--------------|
| 5 Second Pulse Cranking Amps | 697 | Charging Temperature | 0C to 50C |
| 10 Second Pulse Discharge Current (A) | 625 | Discharge Temperature Range | -20C to +60C |
| Voltage | 12 | Storage Temperature | -20C to +60C |
| Capacity (Ah) | 12.5 | | |
| Capacity (Wh) | 160 | | |
| Continuous Discharge Current (A) | 250 | | |

+ Charging

| | |
|----------------------------|---------------|
| Recharge Voltage | 14.4V - 14.6V |
| Maintenance Charge Voltage | 13.8V |

